

# DRILL-DRIVEN PUMPS

## HIGH PERFORMANCE, PORTABLE, AND ALWAYS READY FOR ACTION!

Wherever liquids need to be pumped, the ZUWA drill pump is an unbeatable tool for craftsmen or service technicians and fits into any toolbox. The high-quality stainless steel pump shaft can be fastened in the chuck of any standard drill or cordless screwdriver and is thus ready to use in the shortest amount of time.

By selecting high-quality and robust materials such as marine grade aluminum and stainless steel, a wide variety of applications are possible. Be it pumping out manholes, emptying used oil containers, or for example refilling heat exchangers in various installations including solar systems.

The flexible impeller pump is dry self-priming, suitable for solids, and can purge trapped air. Its compact design is space-saving, easy to use, and extremely durable!



■ MADE  
■ IN  
■ GERMANY

**ZUWA**  
PUMPS FOR PROFESSIONALS

**ZUWA-Zumpe GmbH**  
Franz-Fuchs-Str. 13-17  
83410 Laufen  
Germany

Tel.: +49 8682 8934-50  
Fax.: +49 8682 8934-34  
E-Mail: [export@zuwa.de](mailto:export@zuwa.de)  
Web: [www.zuwa.de/en](http://www.zuwa.de/en)

UNISTAR 2001-A / 2001-B

Universal pump with marine grade aluminium housing for pumping clean fluids or contaminated fluids with non-abbrasive particles e.g., heat transfer medium (glycol), oils, diesel, water, and coolant.

COMBISTAR 2001-A / 2001-B

Pump for abrasive or slightly corrosive liquids, works well for used oil and waste water with solids content. Wetted parts in high quality AISI 316L stainless steel.

NIROSTAR 2001-A / 2001-B

High quality stainless steel pump suitable for many different applications. All metal parts in AISI 316L. Excellent for corrosive environments and media such as descaling or cleaning agents.



TECHNICAL DETAILS

DRILL-DRIVEN PUMP	TYPE A	TYPE B
Flow rate max.	8 GPM	16 GPM
Discharge pressure max.	58 PSI	58 PSI
Connections	¾"	1"
Minimum drive power	500W	700W

APPLICATIONS

Due to the use of different types of materials, the drill pump can be used in a wide variety of areas.

- / Diesel and oil transfer
- / Re-fill solar collectors
- / Drain flooded basements or sumps
- / Drain aquariums, boats, pools, and ponds
- / Drain or fill water beds

ADVANTAGES

- / Dry self-priming from a depth of up to three meters without the need to pre-fill the pump
- / Reversible flow direction
- / The flexible impeller can transfer fluids containing solids
- / The pump housings made of marine grade aluminum or stainless steel guarantee a long service life
- / The shaft is supported by high quality ball bearings



DRILL ADAPTER

Fitting adapter to connect the pumps to all standard cordless drills or screw-drivers. Simple connection of the pump shaft to the chuck, drill depth stop can also be used. Assembly in less than a few minutes!

Art. no. 11012300

DRILL SUPPORT

With feet the impeller pump can be mounted to a reggraded support which supports the drill. The adapter and the drill support are available separately to upgrade pumps already on hand.



Art. no. 11012310